BFWD MONTHLY OPERATIONS SUMMARY			
	January-23 January-23	December-22	January-22
PRODUCTION:	January-23	December-22	January-22
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,325,910	1,323,981	1,386,699
WELL #4 (LAST) WELL #6 (EAST)	480,026	298,106	453,830
BFWD TOTAL	1,805,936	1,622,087	1,840,529
PRODUCTION:	1,003,930	1,022,007	1,040,323
EAST SECTOR	1,805,936	1,622,087	1,840,529
WEST SECTOR	0	1,022,007	0
TRANSFER (E>W)	171,948	297,960	283,856
TRANSFER (TANK-2 - TANK-5)	3,008	13,236	20,455
TRANSFER (TANK-5 - TANK-2)	99,866	9,626	13,837
WATER SUPPLIED TO:	00,000	0,020	10,001
EAST SECTOR	1,633,988	1,324,127	1,556,673
WEST SECTOR	171,948	297,960	283,856
OPERATING TIMES:	,0-10	_0.,000	_00,000
WELL #2	0	0	0
WELL #4	740	741	725
WELL #6	338	210	319
TOTAL HOURS	1,078	951	1,044
GALS / HOUR	1,676	1,706	1,763
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	29.9	29.8	31.9
WELL #6 AVERAGE GPM	23.7	23.7	23.7
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.50	1.26	1.10
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	27,411	32,954	34,338
STORAGE, T-4	153,951	166,876	182,265
STORAGE, T-5	158,958	178,268	177,414
LOSS TO BREAKS	0	18,386	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	18,886	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	219	219	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	219	219	217
WEST TOTAL HOMES	76 	76 	75 
WEST SERVICES IN-USE	75	75 	75
TOTAL BFWD SERV IN-USE	297	297	295
CONSUMPTION:	4 00 - 40 -	4 000 001	4.040.000
BFWD NET TOTAL	1,805,436	1,603,201	1,840,029
BFWD PER SERVICE (IN-USE)	6,079	5,416	6,237
BFWD w/o COMMERCIAL ACCTS.	6,093	5,380	6,264
BF INN as % of total BFWD use	0.5%	1.2%	0.3%
NOTE: COMMERCIAL ACCTS.	0.000	00.000	2.000
1) BF INN	9,000	20,000	6,000
2) BF APTS	5,000	7,000	5,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spil	ıway	65.3

BFWD MONTHLY OPERATIONS SUMMARY			
	February-23 February-23	January-23	February-22
PRODUCTION:	rebruary-23	January-23	rebruary-22
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,199,438	1,325,910	1,251,152
WELL #4 (LAST) WELL #6 (EAST)	355,456	480,026	280,896
BFWD TOTAL	1,554,894	1,805,936	1,532,048
PRODUCTION:	1,004,004	1,000,000	1,002,040
EAST SECTOR	1,554,894	1,805,936	1,532,048
WEST SECTOR	0	0	0
TRANSFER (E>W)	291,785	171,948	244,290
TRANSFER (TANK-2 - TANK-5)	112,499	3,008	26,660
TRANSFER (TANK-5 - TANK-2)	15,641	99,866	6,618
WATER SUPPLIED TO:	10,011	00,000	0,010
EAST SECTOR	1,263,109	1,633,988	1,287,758
WEST SECTOR	291,785	171,948	244,290
OPERATING TIMES:		,	_ · ·, <b>_ · ·</b>
WELL #2	0	0	0
WELL #4	670	740	693
WELL #6	250	338	198
TOTAL HOURS	920	1,078	891
GALS / HOUR	1,691	1,676	1,720
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	29.9	29.9	30.1
WELL #6 AVERAGE GPM	23.7	23.7	23.6
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.85	0.50	1.41
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	33,158	27,411	32,209
STORAGE, T-4	114,035	153,951	164,817
STORAGE, T-5	185,142	158,958	190,815
LOSS TO BREAKS	387,430	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	387,930	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	219	219	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	219	219	219
WEST TOTAL HOMES	76 	76 	75 
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	297	297	297
CONSUMPTION:	4 100 001	1 005 100	4.504.540
BFWD NET TOTAL	1,166,964	1,805,436	1,531,548
BFWD PER SERVICE (IN-USE)	3,929	6,099	5,157
BFWD w/o COMMERCIAL ACCTS.	3,959	6,114	5,179
BF INN as % of total BFWD use	0.0%	0.5%	0.4%
NOTE: COMMERCIAL ACCTS.	0	0.000	6.000
1) BF INN	0	9,000	6,000
2) BF APTS	3,000	5,000	3,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill	way	65.3

BFWD MONTHLY OPERATIONS SUMMARY  March-23			
	March-23	February-23	March-22
PRODUCTION:	IVIAI CII-25	i ebiuai y-23	Widi CII-22
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,145,243	1,199,438	1,380,969
WELL #6 (EAST)	269,562	355,456	201,386
BFWD TOTAL	1,414,805	1,554,894	1,582,355
PRODUCTION:	.,,	1,001,001	.,002,000
EAST SECTOR	1,414,805	1,554,894	1,582,355
WEST SECTOR	0	0	0
TRANSFER (E>W)	228,071	291,785	266,400
TRANSFER (TANK-2 - TANK-5)	14,438	112,499	8,541
TRANSFER (TANK-5 - TANK-2)	34,893	15,641	0
WATER SUPPLIED TO:			
EAST SECTOR	1,186,734	1,263,109	1,315,955
WEST SECTOR	228,071	291,785	266,400
OPERATING TIMES:			
WELL #2	0	0	0
WELL #4	637	670	740
WELL #6	192	250	143
TOTAL HOURS	829	920	883
GALS / HOUR	1,707	1,691	1,792
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.0	29.9	31.1
WELL #6 AVERAGE GPM	23.4	23.7	23.5
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.91	1.85	1.25
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	00.747	00.450	00.577
STORAGE, T-2	30,747	33,158	30,577
STORAGE, T-4	161,568	114,035	171,010
STORAGE, T-5 LOSS TO BREAKS	181,916 0	185,142	190,959 0
LOSS TO BREAKS LOSS TO WASTE	500	387,430 500	500
TOTAL N-C	<b>500</b>	<b>387,930</b>	<b>500</b>
CUSTOMER STATUS:	300	307,330	300
EAST TOTAL HOMES	219	219	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	219	219	219
WEST TOTAL HOMES	76	76	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	297	297	297
CONSUMPTION:			
BFWD NET TOTAL	1,414,305	1,166,964	1,581,855
BFWD PER SERVICE (IN-USE)	4,762	3,929	5,326
BFWD w/o COMMERCIAL ACCTS.	4,794	3,959	5,350
BF INN as % of total BFWD use	0.1%	0.0%	0.2%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	1,000	0	3,000
2) BF APTS	4,000	3,000	6,000
2) DE EIDE CTATION	· '	-	
3) BF FIRE STATION STEVENSONS DAM LEVEL:	0 Flowing Over Spill	0	0 65.3

BFWD MONTHLY OPERATIONS SUMMARY				
April-23				
	April-23	March-23	April-22	
PRODUCTION:				
WELL #2 (WEST)	0	0	0	
WELL #4 (EAST)	1,300,136	1,145,243	1,307,061	
WELL #6 (EAST)	176,307	269,562	376,575	
BFWD TOTAL	1,476,443	1,414,805	1,683,636	
PRODUCTION:				
EAST SECTOR	1,476,443	1,414,805	1,683,636	
WEST SECTOR	0	0	0	
TRANSFER (E>W)	276,332	228,071	253,493	
TRANSFER (TANK-2 - TANK-5)	24,064	14,438	39,377	
TRANSFER (TANK-5 - TANK-2)	34,291	34,893	60,160	
WATER SUPPLIED TO:				
EAST SECTOR	1,200,111	1,186,734	1,430,143	
WEST SECTOR	276,332	228,071	253,493	
OPERATING TIMES:				
WELL #2	0	0	0	
WELL #4	719	637	700	
WELL #6	125	192	269	
TOTAL HOURS	844	829	969	
GALS / HOUR	1,750	1,707	1,738	
WELL #2 AVERAGE GPM	0.0	0.0	0.0	
WELL #4 AVERAGE GPM	30.1	30.0	31.1	
WELL #6 AVERAGE GPM	23.5	23.4	23.4	
WATER QUALITY TESTS:				
CL2 RATE (p/d)	0.50	0.50	0.50	
BFWD FREE CL2 (mg/L)	1.46	0.91	0.70	
IND. LAB COL. TEST	PASS	PASS	PASS	
NON-CONSUMPTION:				
STORAGE, T-2	28,842	30,747	27,649	
STORAGE, T-4	141,416	161,568	153,037	
STORAGE, T-5	155,092	181,916	167,185	
LOSS TO BREAKS	0	0	0	
LOSS TO WASTE	500	500	500	
TOTAL N-C	500	500	500	
CUSTOMER STATUS:				
EAST TOTAL HOMES	219	219	219	
EAST COMMERCIAL ACCTS.	3	3	3	
EAST SERVICES IN-USE	219	219	219	
WEST TOTAL HOMES	76	76	75 75	
WEST SERVICES IN-USE	75	75	75	
TOTAL BFWD SERV IN-USE	297	297	297	
CONSUMPTION:	4 475 040	4 44 4 005	4 000 400	
BFWD NET TOTAL	1,475,943	1,414,305	1,683,136	
BFWD PER SERVICE (IN-USE)	4,970	4,762	5,667	
BFWD w/o COMMERCIAL ACCTS.	5,000	4,794	5,705	
BF INN as % of total BFWD use	0.3%	0.1%	0.1%	
NOTE: COMMERCIAL ACCTS.	4.000	4.000	4.000	
1) BF INN	4,000	1,000	1,000	
2) BF APTS	2,000	4,000	5,000	
3) BF FIRE STATION	0	0	0	
STEVENSONS DAM LEVEL:	Flowing Over Sp	oniway	65.3	

BFWD MONTHLY OPERATIONS SUMMARY May-23			
	May-23	April-23	May-22
PRODUCTION:	may-20	April-20	Way-LL
WELL #2 (WEST)	0	0	0
WELL #2 (WEST)	1,335,823	1,300,136	1,368,237
WELL #6 (EAST)	279,674	176,307	661,616
BFWD TOTAL	1,615,497	1,476,443	2,029,853
PRODUCTION:	1,013,437	1,470,443	2,023,033
EAST SECTOR	1,615,497	1,476,443	2,029,853
WEST SECTOR	1,015,497	1,470,443	2,029,655
TRANSFER (E>W)	271,431	276,332	268,375
TRANSFER (TANK-2 - TANK-5)	•	,	
TRANSFER (TANK-2 - TANK-3) TRANSFER (TANK-5 - TANK-2)	28,275 25,869	24,064 34,291	103,771 64,973
WATER SUPPLIED TO:	25,009	34,291	04,973
	4 044 000	4 000 444	4 704 470
EAST SECTOR	1,344,066	1,200,111	1,761,478
WEST SECTOR OPERATING TIMES:	271,431	276,332	268,375
WELL #2	0	0	0
WELL #4	742	719	741
WELL #6	200	125	471
TOTAL HOURS	942	844	1,211
GALS / HOUR	1,715	1,750	1,676
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.0	30.1	30.8
WELL #6 AVERAGE GPM	23.3	23.5	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.41	1.46	1.45
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	31,367	28,842	31,172
STORAGE, T-4	157,619	141,416	142,133
STORAGE, T-5	145,296	155,092	142,929
LOSS TO BREAKS	0	0	350,000
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	350,500
CUSTOMER STATUS:			
EAST TOTAL HOMES	219	219	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	219	219	219
WEST TOTAL HOMES	76	76	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	297	297	297
CONSUMPTION:			
BFWD NET TOTAL	1,614,997	1,475,943	1,679,353
BFWD PER SERVICE (IN-USE)	5,438	4,970	5,654
BFWD w/o COMMERCIAL ACCTS.	5,480	5,000	5,692
BF INN as % of total BFWD use	0.1%	0.3%	0.1%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	2,000	4,000	2,000
2) BF APTS	2,000	2,000	4,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing over spil	lway	65.3

BFWD MONTHLY OPERATIONS SUMMARY  June-23			
	June-23	May-23	June-22
PRODUCTION:		,:	0 0000
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,300,749	1,335,823	1,308,762
WELL #6 (EAST)	321,419	279,674	350,771
BFWD TOTAL	1,622,168	1,615,497	1,659,533
PRODUCTION:			
EAST SECTOR	1,622,168	1,615,497	1,659,533
WEST SECTOR	0	0	0
TRANSFER (E>W)	247,574	271,431	352,008
TRANSFER (TANK-2 - TANK-5)	33,089	28,275	3,902
TRANSFER (TANK-5 - TANK-2)	19,252	25,869	18,048
WATER SUPPLIED TO:	,	,	,
EAST SECTOR	1,374,594	1,344,066	1,307,525
WEST SECTOR	247,574	271,431	352,008
OPERATING TIMES:	Ì	·	·
WELL #2	0	0	0
WELL #4	718	742	704
WELL #6	228	200	250
TOTAL HOURS	946	942	954
GALS / HOUR	1,715	1,715	1,740
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.2	30.0	31.0
WELL #6 AVERAGE GPM	23.5	23.3	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.91	1.41	0.59
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	32,926	31,367	31,000
STORAGE, T-4	165,310	157,619	153,388
STORAGE, T-5	164,157	145,296	182,866
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:	0.10	0.40	0.40
EAST TOTAL HOMES	219	219	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	219 76	219	219 75
WEST TOTAL HOMES WEST SERVICES IN-USE	76	76 75	75 75
TOTAL BFWD SERV IN-USE	75 <b>297</b>	75 <b>297</b>	75 <b>297</b>
CONSUMPTION:	431	<b>431</b>	<b>431</b>
BFWD NET TOTAL	1,621,668	1,614,997	1,659,033
BFWD NET TOTAL BFWD PER SERVICE (IN-USE)	5,460	5,438	5,586
BFWD W/o COMMERCIAL ACCTS.	5,366	5,480	5,566 5,555
BF INN as % of total BFWD use	2.6%	0.1%	1.3%
NOTE: COMMERCIAL ACCTS.	2.0 /0	V. 1 /0	1.0 /0
1) BF INN	42,000	2,000	22,000
2) BF APTS	2,000	2,000	4,000
3) BF FIRE STATION	2,000	2,000	4,000
STEVENSONS DAM LEVEL:	Flowing over spill	-	65.3
SILVEITOOITO DAM ELVEL.	i lowing over spill	···uy	00.0

BFWD MONTHLY OPERATIONS SUMMARY  July-23			
	July-23	June-23	July-22
PRODUCTION:	oury-20	ounc-20	oury-22
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,352,604	1,300,749	1,248,141
WELL #4 (LAST) WELL #6 (EAST)	322,769	321,419	388,180
BFWD TOTAL	1,675,373	1,622,168	1,636,321
PRODUCTION:	1,070,070	1,022,100	1,000,021
EAST SECTOR	1,675,373	1,622,168	1,636,321
WEST SECTOR	0	1,022,100	1,030,321
TRANSFER (E>W)	290,648	247,574	298,994
TRANSFER (TANK-2 - TANK-5)	30,080	33,089	34,893
TRANSFER (TANK-5 - TANK-2)	7,219	19,252	42,112
WATER SUPPLIED TO:	7,210	13,232	72,112
EAST SECTOR	1,384,725	1,374,594	1,337,327
WEST SECTOR	290,648	247,574	298,994
OPERATING TIMES:	230,0 <del>4</del> 0	241,514	£30,334
WELL #2	0	0	0
WELL #2 WELL #4	745	718	674
WELL #4 WELL #6	745 227	7 18 228	674 267
TOTAL HOURS	972	946	941
GALS / HOUR	1,724	1,715	1,739
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #2 AVERAGE GPM WELL #4 AVERAGE GPM	30.3	30.2	30.9
WELL #4 AVERAGE GPM	23.7	23.5	24.2
WATER QUALITY TESTS:	23.7	23.3	27.2
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.43	0.91	1.70
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	1 700	1 700	1 700
STORAGE, T-2	34,533	32,926	34,224
STORAGE, T-4	149,585	165,310	158,716
STORAGE, T-5	168,254	164,157	167,419
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	220	219	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	220	219	219
WEST TOTAL HOMES	76	76	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	298	297	297
CONSUMPTION:			
BFWD NET TOTAL	1,674,873	1,621,668	1,635,821
BFWD PER SERVICE (IN-USE)	5,620	5,460	5,508
BFWD w/o COMMERCIAL ACCTS.	5,434	5,366	5,442
BF INN as % of total BFWD use	4.1%	2.6%	2.0%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	69,000	42,000	33,000
2) BF APTS	1,000	2,000	3,000
3) BF FIRE STATION	1,790	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill		65.3
	. 5	•	

BFWD MONTHLY OPERATIONS SUMMARY  August-23			
	August-23	July-23	August-22
PRODUCTION:	Ŭ	,	
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,331,284	1,352,604	1,376,362
WELL #6 (EAST)	261,131	322,769	325,419
BFWD TOTAL	1,592,415	1,675,373	1,701,781
PRODUCTION:			
EAST SECTOR	1,592,415	1,675,373	1,701,781
WEST SECTOR	0	0	0
TRANSFER (E>W)	317,565	290,648	371,169
TRANSFER (TANK-2 - TANK-5)	4,813	30,080	27,674
TRANSFER (TANK-5 - TANK-2)	13,837	7,219	6,618
WATER SUPPLIED TO:	,	,	,
EAST SECTOR	1,274,850	1,384,725	1,330,612
WEST SECTOR	317,565	290,648	371,169
OPERATING TIMES:	211,000		,
WELL #2	0	0	0
WELL #4	732	745	746
WELL #6	178	227	224
TOTAL HOURS	910	972	970
GALS / HOUR	1,750	1,724	1,754
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.3	30.3	30.7
WELL #6 AVERAGE GPM	24.5	23.7	24.2
WATER QUALITY TESTS:	-	-	
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.07	0.43	0.80
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	33,311	34,533	32,912
STORAGE, T-4	137,301	149,585	152,836
STORAGE, T-5	179,762	168,254	180,441
LOSS TO BREAKS	Ó	Ó	1,000
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	220	220	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	220	220	219
WEST TOTAL HOMES	76	76	75
WEST SERVICES IN-USE	76	75	75
TOTAL BFWD SERV IN-USE	299	298	297
CONSUMPTION:			
BFWD NET TOTAL	1,591,915	1,674,873	1,701,281
BFWD PER SERVICE (IN-USE)	5,324	5,620	5,728
BFWD w/o COMMERCIAL ACCTS.	5,327	5,434	5,702
BF INN as % of total BFWD use	0.9%	4.1%	1.3%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	14,000	69,000	22,000
2) BF APTS	1,000	1,000	3,000
3) BF FIRE STATION	0	1,790	0
STEVENSONS DAM LEVEL:	Flowing Over Spil	lway	65.2

BFWD MONTHLY OPERATIONS SUMMARY			
	September-23 September-23	August-23	September-22
PRODUCTION:	September-23	August-23	September-22
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,294,301	1,331,284	937,731
WELL #4 (LAST) WELL #6 (EAST)	343,989	261,131	556,493
BFWD TOTAL	1,638,290	1,592,415	1,494,224
PRODUCTION:	1,030,230	1,002,410	1,737,227
EAST SECTOR	1,638,290	1,592,415	1,494,224
WEST SECTOR	1,030,290	1,392,413	0
TRANSFER (E>W)	365,914	317,565	357,672
TRANSFER (TANK-2 - TANK-5)	9.944	4.813	15,641
TRANSFER (TANK-2 - TANK-3) TRANSFER (TANK-5 - TANK-2)	7,219	13,837	29,478
WATER SUPPLIED TO:	7,210	10,007	23,470
EAST SECTOR	1 272 276	1 274 950	1 126 552
WEST SECTOR	1,272,376 365,914	1,274,850 317,565	1,136,552 357,672
OPERATING TIMES:	303,314	317,300	331,012
WELL #2	0	0	0
WELL #2 WELL #4	713	732	523
WELL #4 WELL #6	713 234	178	394
TOTAL HOURS	947	910	917
GALS / HOUR	1,731	1,750	1,630
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #2 AVERAGE GPM WELL #4 AVERAGE GPM	30.3	30.3	29.9
WELL #4 AVERAGE GPM	24.5	24.5	23.5
WATER QUALITY TESTS:	24.3	24.3	25.5
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.85	1.07	0.30
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	1 700	1 700	1 700
STORAGE, T-2	33,027	33,311	30,079
STORAGE, T-4	133,184	137,301	124,391
STORAGE, T-5	175,747	179,762	188,541
LOSS TO BREAKS	1,000	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	<b>500</b>	<b>500</b>	<b>500</b>
CUSTOMER STATUS:	000		1
EAST TOTAL HOMES	221	220	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	221	220	219
WEST TOTAL HOMES	76	76	75
WEST TOTAL HOMES WEST SERVICES IN-USE	76 76	76 76	75 75
TOTAL BFWD SERV IN-USE	300	2 <b>99</b>	297
CONSUMPTION:			
BFWD NET TOTAL	1,637,790	1,591,915	1,493,724
BFWD PER SERVICE (IN-USE)	5,459	5,324	5,029
BFWD w/o COMMERCIAL ACCTS.	5,464	5,327	4,982
BF INN as % of total BFWD use	0.9%	0.9%	1.8%
NOTE: COMMERCIAL ACCTS.	0.070	0.070	1.070
1) BF INN	14,000	14,000	27,000
2) BF APTS	1,000	1,000	2,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill	The state of the s	65.3
OTEVERSORS DAM LEVEL.	I lowing over spill	way	00.0

BFWD MONTHLY OPERATIONS SUMMARY October-23			
	October-23	September-23	October-22
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,347,388	1,294,301	1,319,625
WELL #6 (EAST)	356,137	343,989	225,496
BFWD TOTAL	1,703,525	1,638,290	1,545,121
PRODUCTION:			
EAST SECTOR	1,703,525	1,638,290	1,545,121
WEST SECTOR	0	0	0
TRANSFER (E>W)	402,704	365,914	299,726
TRANSFER (TANK-2 - TANK-5)	12,364	9,944	4,314
TRANSFER (TANK-5 - TANK-2)	21,056	7,219	18,048
WATER SUPPLIED TO:	,	,	,
EAST SECTOR	1,300,821	1,272,376	1,245,395
WEST SECTOR	402,704	365,914	299,726
OPERATING TIMES:	,		,
WELL #2	0	0	0.0
WELL #4	744	713	738
WELL #6	250	234	158
TOTAL HOURS	994	947	896
GALS / HOUR	1,713	1,731	1,725
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.2	30.3	29.8
WELL #6 AVERAGE GPM	23.7	24.5	23.8
WATER QUALITY TESTS:	20.1	24.0	20.0
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.62	0.85	0.95
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	1 400	1 700	1 AGG
STORAGE, T-2	31,342	33,027	32,611
STORAGE, T-4	136,418	133,184	178,539
STORAGE, T-5	162,723	175,747	170,816
LOSS TO BREAKS	0	1,000	0
LOSS TO WASTE	500	500	500
TOTAL N-C	<b>500</b>	<b>500</b>	<b>500</b>
CUSTOMER STATUS:	000	000	000
EAST TOTAL HOMES	221	221	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	221	221	219
WEST TOTAL HOMES	76	76	76
WEST TOTAL HOMES WEST SERVICES IN-USE	76 76	76 76	76 75
TOTAL BFWD SERV IN-USE	300	300	297
CONSUMPTION:			
BFWD NET TOTAL	1,703,025	1,637,790	1,544,621
BFWD PER SERVICE (IN-USE)	5,677	5,459	5,201
BFWD w/o COMMERCIAL ACCTS.	5,684	5,464	5,189
BF INN as % of total BFWD use	0.8%	0.9%	1.1%
NOTE: COMMERCIAL ACCTS.	0.070	0.070	11170
1) BF INN	14,000	14,000	17,000
2) BF APTS	1,000	1,000	2,000
3) BF FIRE STATION	0	1,000	2,000
STEVENSONS DAM LEVEL:	Flowing Over Spill	-	65.3
STEVENSONS DAW LEVEL:	riowing Over Spin	iway	<b>0</b> 3.3

BFWD MONTHLY OPERATIONS SUMMARY November-23			
	November-23	October-23	November-22
PRODUCTION:	NOVEITIBET-20	0010001-20	NOVEINBEI-22
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,298,525	1,347,388	1,284,045
WELL #6 (EAST)	559,771	356,137	270,092
BFWD TOTAL	1,858,296	1,703,525	1,554,137
PRODUCTION:	, , , , , , , ,	, , .	,,,,,
EAST SECTOR	1,858,296	1,703,525	1,554,137
WEST SECTOR	0	0	0
TRANSFER (E>W)	425,682	402,704	287,962
TRANSFER (TANK-2 - TANK-5)	139,571	12,364	7,219
TRANSFER (TANK-5 - TANK-2)	106,483	21,056	28,275
WATER SUPPLIED TO:	·	,	,
EAST SECTOR	1,432,614	1,300,821	1,266,175
WEST SECTOR	425,682	402,704	287,962
OPERATING TIMES:			İ
WELL #2	0.0	0	0.0
WELL #4	722	744	694
WELL #6	393	250	192
TOTAL HOURS	1,115	994	886
GALS / HOUR	1,667	1,713	1,754
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.0	30.2	30.8
WELL #6 AVERAGE GPM	23.7	23.7	23.5
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.59	1.62	1.27
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	34,465	31,342	32,921
STORAGE, T-4	137,606	136,418	153,929
STORAGE, T-5	152,044	162,723	178,094
LOSS TO BREAKS	282,150	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	282,650	500	500
CUSTOMER STATUS:	004	004	0.10
EAST TOTAL HOMES	221	221	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	221	221	218
WEST TOTAL HOMES	76 76	76 76	75 75
WEST SERVICES IN-USE TOTAL BFWD SERV IN-USE	76 <b>300</b>	76 <b>300</b>	75 <b>296</b>
CONSUMPTION:	300	300	230
BFWD NET TOTAL	1,575,646	1,703,025	1,553,637
BFWD NET TOTAL BFWD PER SERVICE (IN-USE)	5,252	5,677	5,249
BFWD W/O COMMERCIAL ACCTS.	5,252 5,275	5,684	5,249 5,275
BF INN as % of total BFWD use	0.4%	0.8%	0.1%
NOTE: COMMERCIAL ACCTS.	<b>∪.</b> → /0	0.0 /0	U. 1 /0
1) BF INN	7,000	14,000	2,000
2) BF APTS	2,000	1,000	6,000
3) BF FIRE STATION	2,000	0	0,000
STEVENSONS DAM LEVEL:	Flowing Over Spills		65.3
S. ET ENGONG DAM LETE.	. Journa Over Opin	··· ~ J	55.5

BFWD MONTHLY OPERATIONS SUMMARY			
	December-23	N 1 00	
DDODUCTION:	December-23	November-23	December-22
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,336,402	1,298,525	1,323,981
WELL #6 (EAST)	262,728	559,771	298,106
BFWD TOTAL	1,599,130	1,858,296	1,622,087
PRODUCTION:	4.500.400	4.050.000	1 000 007
EAST SECTOR	1,599,130	1,858,296	1,622,087
WEST SECTOR	0	0	0
TRANSFER (E>W)	356,735	425,682	297,960
TRANSFER (TANK-2 - TANK-5) TRANSFER (TANK-5 - TANK-2)	29,478 86,610	139,571 106,483	13,236 9,626
WATER SUPPLIED TO:	00,010	100,403	9,020
EAST SECTOR	4 040 005	4 420 644	4 204 407
WEST SECTOR	1,242,395	1,432,614	1,324,127 297,960
OPERATING TIMES:	356,735	425,682	∠3 <i>1</i> ,36U
WELL #2	0	0.0	0
WELL #2 WELL #4	743	0.0 722	741
WELL #4 WELL #6	743 185	722 393	741 210
TOTAL HOURS	928	1,11 <b>5</b>	951
GALS / HOUR	1,722	1,115 1,667	1,706
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #2 AVERAGE GPM	30.0	30.0	29.8
WELL #6 AVERAGE GPM	23.7	23.7	23.7
WATER QUALITY TESTS:	20.7	20.1	20.1
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.74	1.59	1.26
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	34,695	34,465	32,954
STORAGE, T-4	168,894	137,606	166,876
STORAGE, T-5	154,184	152,044	178,268
LOSS TO BREAKS	116,710	282,150	18,386
LOSS TO WASTE	500	500	500
TOTAL N-C	117,210	282,650	18,886
CUSTOMER STATUS:			
EAST TOTAL HOMES	221	221	219
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	221	221	219
WEST TOTAL HOMES	76	76	76
WEST SERVICES IN-USE	76	76	75
TOTAL BFWD SERV IN-USE	300	300	297
CONSUMPTION:			
BFWD NET TOTAL	1,481,920	1,575,646	1,603,201
BFWD PER SERVICE (IN-USE)	4,940	5,252	5,416
BFWD w/o COMMERCIAL ACCTS.	4,973	5,275	5,380
BF INN as % of total BFWD use	0.3%	0.4%	1.2%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	4,000	7,000	20,000
2) BF APTS	1,000	2,000	7,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill	way	65.3